

## Single webbing slings 1 - 5 t

---

### Product information



Single layer lifting slings. The width of the sling is high with respect to the workload. Perfect for places, where minimal surface pressure on the load to be lifted is needed, for example when lifting boats. Folded reinforced eyes as standard and also available with flat eyes.

Thanks to our own production unit, we can also make quick deliveries of special types and lengths as well as lifting slings with higher WLL.

... [Read more](#)

---

**Features:** RFID-ready

**Material:** 100% polyester

**Marking:** CE-marked

**Temperature range:** -40°C - +100 °C

**Note:** Color coded

**Warning:** Standard dimensional tolerance is  $\pm 3\%$ . Lengths can vary within the tolerance range!

**Safety factor:** 7:1

## Single webbing slings 1 - 5 t

### Technical data

Part code	WLL ton	EWL m	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	Webbing width mm	Colour
SNVY101	1	1	0.8	2	1.4	1	60	Green
SNVY102	1	2	0.8	2	1.4	1	60	Green
SNVY103	1	3	0.8	2	1.4	1	60	Green
SNVY104	1	4	0.8	2	1.4	1	60	Green
SNVY105	1	5	0.8	2	1.4	1	60	Green
SNVY106	1	6	0.8	2	1.4	1	60	Green
SNVY108	1	8	0.8	2	1.4	1	60	Green
SNVY110	1	10	0.8	2	1.4	1	60	Green
SNVY112	1	12	0.8	2	1.4	1	60	Green
SNVY114	1	14	0.8	2	1.4	1	60	Green
SNVY201	2	1	1.6	4	2.8	2	120	Grey
SNVY202	2	2	1.6	4	2.8	2	120	Grey
SNVY203	2	3	1.6	4	2.8	2	120	Grey
SNVY204	2	4	1.6	4	2.8	2	120	Grey
SNVY205	2	5	1.6	4	2.8	2	120	Grey
SNVY206	2	6	1.6	4	2.8	2	120	Grey
SNVY208	2	8	1.6	4	2.8	2	120	Grey
SNVY210	2	10	1.6	4	2.8	2	120	Grey
SNVY212	2	12	1.6	4	2.8	2	120	Grey
SNVY214	2	14	1.6	4	2.8	2	120	Grey
SNVY302	3	2	2.4	6	4.2	3	180	Brown
SNVY303	3	3	2.4	6	4.2	3	180	Brown
SNVY304	3	4	2.4	6	4.2	3	180	Brown
SNVY305	3	5	2.4	6	4.2	3	180	Brown
SNVY306	3	6	2.4	6	4.2	3	180	Brown
SNVY308	3	8	2.4	6	4.2	3	180	Brown
SNVY310	3	10	2.4	6	4.2	3	180	Brown
SNVY312	3	12	2.4	6	4.2	3	180	Brown
SNVY314	3	14	2.4	6	4.2	3	180	Brown
SNVY402	4	2	3.2	8	5.6	4	240	Blue
SNVY403	4	3	3.2	8	5.6	4	240	Blue

## Single webbing slings 1 - 5 t

### Technical data

Part code	WLL ton	EWL m	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	Webbing width mm	Colour
SNVY404	4	4	3.2	8	5.6	4	240	Blue
SNVY405	4	5	3.2	8	5.6	4	240	Blue
SNVY406	4	6	3.2	8	5.6	4	240	Blue
SNVY408	4	8	3.2	8	5.6	4	240	Blue
SNVY410	4	10	3.2	8	5.6	4	240	Blue
SNVY412	4	12	3.2	8	5.6	4	240	Blue
SNVY414	4	14	3.2	8	5.6	4	240	Blue
SNVY503	5	3	4	10	7	5	300	Orange
SNVY504	5	4	4	10	7	5	300	Orange
SNVY505	5	5	4	10	7	5	300	Orange
SNVY506	5	6	4	10	7	5	300	Orange
SNVY508	5	8	4	10	7	5	300	Orange
SNVY510	5	10	4	10	7	5	300	Orange
SNVY512	5	12	4	10	7	5	300	Orange
SNVY514	5	14	4	10	7	5	300	Orange