Lifting Solutions Group
Axel Johnson International

Haklift battery operated electric chain hoist

Product information



Compact and powerful bettery chain hoist is packed in a storage case. The hoist is equipped with remote control providing stepless control of the lifting speed.

Moreover, the hoist has a load and overload indicator. All parts of the product has protection class IP54. The capacity of the Li-ion battery is 20 minutes when used continuously with full load. Each storage case comes with the hoist, chain bag, remote control, 2 pcs of batteries and a charger.

... *Read more*

Marking: CE-mark
Finish: Painted, blue

© November 2026 - All Rights Reserved

CERTEX | Lifting Solutions Group
Axel Johnson International

Haklift battery operated electric chain hoist

Technical data

Part code	WLL ton	Lifting height m	Number of falls	Dimensions mm	Lifting speed m/min.	Load chain mm	Type of battery
SKTH50018V	0.5	3	2	173 x 257 x 375173 x 257 x 375	2	4	18V Li-ion 3.0 Ah

SPARE PARTS

Spare part (product code)	Description	Suitable for hoist (product code)
KAPULA7	Pendant control	SKTH50018V (old model)
KAPULA8	Pendant control | New model (2024)	SKTH50018V (2024 year model)
SKTH50018VAKKU	Li-ion battery 18 V	SKTH50018V (old model)
SKTH50018VAKKU2	Li-ion battery 18 V | New model (2024)	SKTH50018V (2024 year model)
SKTH50018VLATURI	Li-ion battery charger	SKTH50018V (old model)
SKTH50018VLATURI2	Li-ion battery charger | New model (2024)	SKTH50018V (2024 year model)
NOTE: Please check the sample picture of the model differences (attached)		
Also other spare parts available with a delivery time, ask our sales for more information		

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

Haklift battery operated electric chain hoist



© November 2026 - All Rights Reserved