

Battery operated electric wire hoist for lifting and pulling 24 V

Product information

Light and easy to operate electrical winch for pulling and lifting. Stepless power control. Equipped with latch hook and overload indicator. 2 x powerfull 24V NiMh batteries and charger.

Note! Cable operating length 3.4 mtr

Features: Speed 2,5 m/min | Charging time 2 h

Marking: CE-marked

Note: No remote control available for the battery-operated hoist

| Part code | WLL ton | Operation voltage (V) | Rope length m | Motor kW | Type of battery | Weight kg |
|-----------|------------|-----------------------|------------------|-------------|-----------------|--------------|
| VANOS450A | 0.45 | 24 | 4.6 | 0.75 | 2500 mAh | 9.7 |

Technical data

SPARE PARTS

Portable 24V electric wire hoist VANOS450A

| Spare part (product code) | Description | Suitable for hoist (product code) | |
|---------------------------|-------------------------------------------------------------------------|-----------------------------------|--|
| VANOSVAI4,6 | Wire rope 4,6 m ø 5,8 mm, effective working length 3,4 m Incl. drum | VANOS450A | |
| VANOSAHIILI | Coal Note! 2 pcs/hoist | VANOS450A | |
| VANOSLATURI | Charger Part no. 51 | VANOS450A | |
| VANOSAKKU | Battery Part no. 27 | VANOS450A | |
| VANOSYKOU | Top swivel hook, incl. fasteners Part no. 36 | VANOS450A | |
| VANOSAKOU | Bottom hook, incl. fasteners Part no. 11 | VANOS450A | |

Also other spare parts available with a delivery time, ask our sales for more information

Blueprint

